

Additive Manufacturing of Aluminum Alloy by Metal Fused Filament Fabrication (MF³)

Luke Malone¹, Kameswara Pavan Kumar Ajjarapu¹, Carrie Barber², Mark Barr², Matteo Zanon², Sundar V. Atre¹, Kunal H. Kate¹

¹Materials Innovation Guild, University of Louisville, Louisville, KY 40208

²Kymera International, Durham, NC 27709

Abstract

This research studies metal-fused filament fabrication (MF³) for manufacturing aluminum alloy parts. An aluminum alloy powder-based feedstock with a polymer-binder system was extruded via capillary rheometry to form a filament. The filament was used to print green parts that were involved in a two-step debinding process combining solvent and thermal extraction of the polymer binder, then sintered in a partial vacuum. Resulting grain structure, sintered density, and mechanical properties will be characterized and compared to metal injection molded (MIM) specimens. The main objective is to gain an understanding of the MF³ process characteristics and the ensuing material properties and microstructure through carefully designed experiments and computer simulations, therefore creating additive manufactured components from a common lightweight metal. The overarching goal is to enable rapid, predictable, reproducible, low cost, and accurate production of metal parts with 3D features, thereby significantly expanding the current additive manufacturing capability.

1 Introduction

Metal Fused Filament Fabrication (MF³) is an Additive Manufacturing (AM) process that combines the concepts of Fused Filament Fabrication (FFF), also referred to as Fused Deposition Modeling (FDM), and Metal Injection Molding (MIM). Falling under Material Extrusion Additive Manufacturing (MEAM), MF³ is a growing topic of research and development that is beginning to become more accessible to hobbyists and users in industry, with applications in fields such as aerospace, medicine, and automobiles. MF³ offers many benefits comparable to other AM processes such as electron beam melting (EBM), laser powder bed fusion (LPBF), and Binder Jetting, all of which can reliably